Approved by OMB
3060-0999
See instructions for
public burden estimate.

Federal Communications Commission

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2016 - June 30, 2017   Filing Confirmation Number: 0007849058

Filing Deadline: July 17, 2017   FRN: 0017617366

Filing Date: 07/10/2017 02:28 PM

General Report Information

Type of Company

Device Manufacturer

De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period? No

Date that you ceased to be a small entity?

Company Information

Company Name:	Kyocera International, Inc.
Brand Names:	Kyocera
PO Box:	
Street Address:	8611 Balboa Avenue
City:	San Diego
State:	CA
Zip Code:	92123

Contact Name:	Douglas Dunn
Contact Phone:	(858) 882-2117
Contact Fax:	
Contact Email:	doug.dunn@kyocera.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for

hearing aid compatibility with respect to such operation?
Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?
N/A

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?
 Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: http://www.kyoceramobile.com/accessibility/

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Website. Review of CTIA Accessibility event reports.

Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 3

Report Remarks

You have reported the following handset model summary information.
Total number of handsets offered: 17

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent		Total by Air Interface
GSM	12	100%					12
CDMA	11	100%					11
WCDMA	10	100%					10
LTE	5	100%					5
Wi-Fi	3	100%					3

FCC Form 655
December 2015

Handset 1: Kyocera C6742

Handset Maker

Kyocera

Handset Model Name   **FCC ID**

C6742   V65C6742

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 05/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 03/24/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/24/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 2: Kyocera C6743

Handset Maker

Kyocera

Handset Model Name   **FCC ID**

C6743   V65C6743

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/16 to 04/17

Ratings

M-Rating: M4

M-Rating Certification Date: 03/04/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/04/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 3: Kyocera CD8100

Handset Maker

Kyocera

Handset Model Name	**FCC ID**
CD8100	V65CD8100

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 11/06/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 11/06/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 4: Kyocera E4233 (DuraPlus)

Handset Maker

Kyocera

Handset Model Name	FCC ID
E4233 (DuraPlus)	V65E4233

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 02/12 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 01/19/12

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T4

T-Rating Certification Date: 01/19/12

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 5: Kyocera E4281

Handset Maker

Kyocera

Handset Model Name	FCC ID
E4281	V65E4281

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 11/15 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 10/23/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/23/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 6: Kyocera E4510

Handset Maker

Kyocera

Handset Model Name	FCC ID
E4510	V65E4520
E4520NCPTT	V65E4520
E4520PTT	V65E4520

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz CDMA
1900 MHz GSM
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 10/28/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/28/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 7: Kyocera E4710

Handset Maker

Kyocera

Handset Model Name	FCC ID
E4710	V65E4710

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 12/15 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 10/23/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/23/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 8: Kyocera E6560

Handset Maker

Kyocera

Handset Model Name	FCC ID
E6560	V65E6560

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.5 GHz LTE

Dates

This handset model was offered from: 11/14 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 09/25/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/25/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 9: Kyocera E6715

Handset Maker

Kyocera

Handset Model Name	**FCC ID**
E6715	V65E6710

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 07/13 to 09/16

Ratings

M-Rating: M4

M-Rating Certification Date: 01/11/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2007

T-Rating: T3

T-Rating Certification Date: 01/11/13

Version of the ANSI C63.19 standard used during the certification process: 2007

Remarks

Handset 10: Kyocera E6762

Handset Maker

  Kyocera

Handset Model Name   **FCC ID**

  E6762   V65E6762

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz CDMA
  850 MHz WCDMA
  1900 MHz GSM
  1900 MHz CDMA
  1900 MHz WCDMA

Dates

  This handset model was offered from: 11/14 to 06/17

Ratings

  M-Rating: M4

  M-Rating Certification Date: 09/23/14

  Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

  Version of the ANSI C63.19 standard used during the certification process: 2011

  T-Rating: T3

  T-Rating Certification Date: 09/23/14

  Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 11: Kyocera E6782

Handset Maker

  Kyocera

Handset Model Name   **FCC ID**

  E6782   V65E6782

Air Interfaces/Frequency Bands

  850 MHz GSM
  850 MHz CDMA
  850 MHz WCDMA
  1900 MHz GSM
  1900 MHz CDMA
  1900 MHz WCDMA

Dates

  This handset model was offered from: 07/14 to 11/16

Ratings

M-Rating: M4

M-Rating Certification Date: 04/18/14

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 04/18/14

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 12: Kyocera E6790

Handset Maker

Kyocera

Handset Model Name	**FCC ID**
E6790	V65E6790

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE

Dates

This handset model was offered from: 11/15 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 09/30/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/30/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 13: Kyocera E6810

Handset Maker

Kyocera

Handset Model Name	**FCC ID**
E6810	V65E6810

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
850 MHz LTE
1700 MHz LTE
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 11/16 to 06/17

Ratings

M-Rating: M3

M-Rating Certification Date: 08/11/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/11/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 14: Kyocera E6820

Handset Maker

Kyocera

Handset Model Name	FCC ID
E6820	V65E6820
E6820TM	V65E6820

Air Interfaces/Frequency Bands

700 MHz LTE
850 MHz GSM
850 MHz WCDMA
850 MHz LTE
1700 MHz WCDMA
1700 MHz LTE
1900 MHz GSM
1900 MHz WCDMA
1900 MHz LTE
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 11/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 08/11/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 08/11/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 15: Kyocera E6830

Handset Maker

Kyocera

Handset Model Name	FCC ID
E6830	V65E6830
E6833	V65E6830

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz GSM
850 MHz CDMA
850 MHz WCDMA
1900 MHz GSM
1900 MHz CDMA
1900 MHz WCDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 10/16 to 06/17

Ratings

M-Rating: M4

M-Rating Certification Date: 09/13/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 09/13/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 16: Kyocera S1370

Handset Maker

Kyocera

Handset Model Name	FCC ID
S1370	V65S1370

Air Interfaces/Frequency Bands

850 MHz GSM
850 MHz WCDMA
1700 MHz WCDMA
1900 MHz GSM
1900 MHz WCDMA

Dates

This handset model was offered from: 04/15 to 04/17

Ratings

M-Rating: M3

M-Rating Certification Date: 02/26/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 02/26/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Handset 17: Kyocera S3150

Handset Maker

Kyocera

Handset Model Name	FCC ID
S3150	V65S3150

Air Interfaces/Frequency Bands

800 MHz CDMA
850 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 04/14 to 08/16

Ratings

M-Rating: M4

M-Rating Certification Date: 12/16/13

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 12/16/13

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

Certification

This Report has been certified by:

Douglas Dunn Director of Regulatory Affairs
07/10/2017 02:28 PM